L Number	Hits	Search Text	DB	Time stamp
1	799	347/5 and print\$4	USPAT;	2003/09/08
		• • • • • • • • • • • • • • • • • • • •	US-PGPUB;	17:19
			EPO; JPO;	
			DERWENT;	
2	268	347/5 and print\$4 and error\$2	USPAT;	2003/09/08
-		original and criory	US-PGPUB;	17:22
			EPO; JPO;	- · ·
			DERWENT;	
3	300	347/7 and print\$4 and error\$2	IBM_TDB USPAT;	2003/09/08
	300	347/7 and princy4 and error32	US-PGPUB;	17:26
			EPO; JPO;	
, i			DERWENT;	
4	115	247/9 and naint64 and annex62	IBM_TDB	2002/00/00
4	113	347/8 and print\$4 and error\$2	USPAT; US-PGPUB;	2003/09/08
			EPO; JPO;	17.20
			DERWENT;	
_	500	247/14 and miletal 1	IBM_TDB	
5	590	347/14 and print\$4 and error\$2	USPAT; US-PGPUB;	2003/09/08 17:31
			EPO; JPO;	11.31
			DERWENT;	
			IBM_TDB	
6	252	347/16 and print\$4 and error\$2	USPAT;	2003/09/08
			US-PGPUB; EPO; JPO;	17:34
			DERWENT;	
			IBM_TDB	
7	11	700/8 and print\$4 and error\$2	USPAT;	2003/09/08
			US-PGPUB;	17:35
			EPO; JPO; DERWENT;	
			IBM TDB	
8	266	400/74 and print\$4 and error\$2	USPĀT;	2003/09/08
		·	US-PGPUB;	17:35
			EPO; JPO; DERWENT;	
			IBM TDB	
-	217	347/5.ccls.	USPAT;	2002/09/20
	455	247/51-	US-PGPUB	15:40
-	155	347/5.ccls.	EPO; JPO;	2002/05/29
			DERWENT; IBM TDB	19:12
-	214	347/5.ccls. and print\$3	USPAT;	2003/09/08
		-	US-PGPUB	17:19
-	73	347/5.ccls. and print\$3 and error\$2	USPAT;	2002/05/29
	1	347/5.ccls. and error	US-PGPUB EPO; JPO;	18:45 2002/05/29
			DERWENT;	19:12
			IBM_TDB	
-	1168	347/5,7,8,14,16.ccls.	USPAT;	2002/06/03
	1142	347/5,7,8,14,16.ccls. and print\$4	US-PGPUB USPAT;	10:31 2002/06/03
	*****	o, o, ., o, z., zo. cors. and princy?	US-PGPUB	10:32
- !	410	347/5,7,8,14,16.ccls. and print\$4 and	USPAT;	2002/06/03
İ	1.50	error\$1	US-PGPUB	10:32
-	138	347/5,7,8,14,16.ccls. and print\$4 and (error\$1 same detect\$4)	USPAT; US-PGPUB	2002/05/31
_	69	347/5,7,8,14,16.ccls. and print\$4 and	USPAT;	2002/05/31
		(error\$1 same detect\$4) and table	US-PGPUB	16:28
-	707	347/5,7,8,14,16.ccls.	EPO; JPO;	2002/06/03
1			DERWENT;	10:31
_	347	347/5,7,8,14,16.ccls. and print\$4	IBM_TDB EPO; JPO;	2002/06/03
l	24/	orr, o, r, o, ra, ro. cors. and princes	DERWENT;	10:32
			IBM_TDB	
				<u> </u>

-	4	347/5,7,8,14,16.ccls. and print\$4 and error\$1	EPO; JPO; DERWENT;	2002/06/03 10:34
-	2	347/14.ccls. and error\$1	IBM_TDB EPO; JPO; DERWENT;	2002/06/03
-	173	347/14.ccls. and error\$1	IBM_TDB USPAT;	2002/06/03
-	172	347/14.ccls. and error\$1 and print\$4	US-PGPUB USPAT;	10:35 2002/06/03
-	59	· / · · · · · · · · · · · ·	US-PGPUB USPAT;	10:36 2002/06/03
_	232	and print\$4 347/5.ccls.	US-PGPUB USPAT; US-PGPUB	10:37 2002/09/20 15:41
-	15	US-6406111-\$ or US-6428134-\$ or	USPAT; US-PGPUB	2002/09/20
		US-6435637-\$).did. or (US-20020118243-\$ or US-20020118235-\$ or US-20020118234-\$ or US-20020118233-\$ or US-20020097281-\$		
		or US-20020130910-\$ or US-20020126163-\$ or US-20020089554-\$).did.		
_	1996417		USPAT; US-PGPUB	2002/09/20 15:44
-	52	(common adj out\$4)	USPAT	2002/09/20 15:58
-	1	(USPAT; US-PGPUB	2002/09/20 15:59
_	6	("4587532" "4591884" "4972236" "5150167" "5208640" "5598257").PN.	USPAT	2002/09/20 16:00
-	248		USPAT; US-PGPUB;	2003/04/10 18:36
	0.40	247 (5)	EPO; JPO; DERWENT; IBM_TDB	2002/04/10
_	242	347/5 and error\$2 and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/10 18:37
-	88	347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/10 17:41
-	29	347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/10 17:53
-	45	347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/10 18:05
	41	correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 17:55
-	11	(ceas\$4 or halt\$4 or stop\$5))) 347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/10 18:12
-	66	347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/10 18:23
	1	l	IBM_TDB	<u></u>

Corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) not (347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 or corrects4 or senss41) and (prints4 with (347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (ceass4 or halts4 or stop55)) 347/6 and (errors2 with (detects4 or corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) 347/6 and (errors2 with (detects4 or corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) 347/6 and (errors2 with (detects4 or corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and prints4 not (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or senss41) and (prints4 with (ceass4 or halts4 or stop55)) 347/5 and (errors2 with (detects4 or corrects4 or	_	F 3	1/247/14	T	
Ceass4 or halts4 or stop55)	-	53		USPAT;	2003/04/10
1347/5 and (errors2 with (detects4 or corrects4 or senss4)) and prints4 with (ceass4 or halts4 or stop55)) not (347/74 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/76 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/76 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55)) not (347/8 and (errors2 with (1	18:14
Corrects4 or sens44) and prints4 IBM_TDB 2003/04/10 18:14 Ceass4 or halts4 or stop551) not (347/5 and (errors2 with (detects4 or corrects4) or sens34) and prints4 not (347/7 and (errors2 with (detects4 or corrects4) or sens34) and (prints4 with (ceass4 or halts4 or stop55)) 37/16 and (errors2 with (detects4 or corrects4 or sens34) and (prints4 with (ceass4 or halts4 or stop55)) 21 (347/16 and (errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/5 and (errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/5 and (errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/5 and (errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and (errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and (errors2 with (detects4 or corrects4 or sens34)) and (prints4 with (ceass4 or halts4 or stop55)) Not (347/7 and (errors2 with (detects4 or corrects4 or se				1	
-	1				1
Correct\$4 or sens\$4\) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4) or sens\$4\)) and print\$4\)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4\)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5\))) 347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4\)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5\)) EPOPUP: (247/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4\)) and (print\$4 with (ceas\$4 or correct\$4 or sens\$4\)) and (print\$4 with (ceas\$4 or correct\$4\) or sens\$4\) and (print\$4 with (ceas\$4 or sens\$4\)) and (print\$4 with (ceas\$4 or sens\$4\)) and print\$4\) DERWENT: (347/5 and (error\$2 with (detect\$4 or correct\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or sens\$4\) and (print\$4\) DERWENT: (347/5 and (error\$2\) with (detect\$4\) or correct\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or halt\$4\) or stop\$5\) not (347/7\) and (error\$2\) with (detect\$4\) or correct\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or halt\$4\) or stop\$5\) not (347/7\) and (error\$2\) with (detect\$4\) or correct\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or halt\$4\) or stop\$5\) not (347/7\) and (error\$2\) with (detect\$4\) or correct\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or halt\$4\) or stop\$5\) not (347/7\) and (error\$2\) with (detect\$4\) or correct\$4\) or sens\$4\) and (print\$4\) with (ceas\$4\) or correct\$4\) or		1 40			
(ceas%4 or halts%4 or stop\$5) not (347/5 and (errors2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 vith (ceas%4 or halts%4 or stop\$5) not (347/16 and (errors2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halts%4 or stop\$5) not (347/16 and (errors2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halts%4 or stop\$5)) not (347/5 and (errors2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halts%4 or stop\$5)) not (347/5 and (errors2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 vith (ceas%4 or halts%4 or stop\$5) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 vith (ceas%4 or halts%4 or stop\$5) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 vith (ceas%4 or halts%4 or stop\$5) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halts%4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halts%4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halts%4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halt\$6 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halt\$6 or stop\$5)) not (347/3 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halt\$6 or stop\$5)) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halt\$6 or stop\$5)) not (347/1 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halt\$6 or stop\$5)) not (347/1 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas%4 or halt\$6 or stop\$5)) not (347/1 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) not (-	40		1	
G347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5))					18:14
correct34 or sens34]) and print\$4)) not (347/7 and (error\$2 with (detect34 or correct34 or sens34)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))	'		(ceas\$4 or halt\$4 or stop\$5))) not		·
1347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))					·
		ļ		IBM_TDB	
Ceass4 or halts4 or stop55) 347/16 and (errors2 with (detects4 or US-PGPUB; EPG, JPO; DERWENT; IBM TDB (ceass4 or halts4 or stop55) not (347/16 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and prints4 US-PGPUB; EPG, JPO; DERWENT; IBM TDB (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stop55) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) not (347/8 and (errors2 with (detec		1			
24 347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5) 18:26 2003/04/10 18:26 2003/04/10 20 20 20 20 20 20 20					
correct\$4 or sens\$4) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5) 18:26 18:26 2003/04/10 21 21 21 21 21 21 21		١	(ceas\$4 or halt\$4 or stop\$5)))		
Ceas\$4 or halt\$4 or stop\$5)	- ,	24		I '	, ,
-					18:26
1			(ceas\$4 or hait\$4 or stop\$5))	1 '	
21				1	
Correct\$4 or sens\$4) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not COTRECT\$4 or sens\$4) and print\$4 with (ceas\$4 or sens\$4) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not COTRECT\$4 or sens\$4) and print\$4 with (ceas\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/1 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/1 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/1 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 w			(0.45 /4.4	_	
Ceas\$4 or halt\$4 or stop\$5)) not (347/6 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4) (347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/6 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) (((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) (((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) (((347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) ((((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) not (347/8 and (error\$2 with (atect\$4 or correct\$4 or	-	21			
Canal Cana					18:26
Correct\$4 or sens\$4) and print\$4 LBM_TDB 2003/04/10 (347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)] not (247/8 with (error\$2 with (error\$2 with (error\$2 with (error\$2 with (error\$2 with (error\$2 with		1			
20				1	
Correct\$4 or sens\$4) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 y not (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 y) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (brint\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (error\$2 with (error\$2 with (error\$2 with (error\$2 with (erro				· —	
(ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/6 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) use (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) use (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) use (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) use (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) use (347/14 and (er	-	20	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	
Carects4 or senss4) and prints4 with (ceass4 or halts4 or stops5) 12 (((347/16 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/5 and (errors2 with (detects4 or corrects4 or senss4)) and prints4 with (ceass4 or halts4 or stops5)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/7 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/8 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/14 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/14 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/14 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) not (347/14 and (errors2 with (detects4 or corrects4 or senss4)) and (prints4 with (ceass4 or halts4 or stops5)) uspat					18:26
correct\$4 or sens\$4) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 18 (((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))] [8:33 uspar; [8:34 uspar; [8:35 uspar; [8:37 uspar				1	
(347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))					
correct\$4 or sens\$4) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))			correct\$4 or sens\$4)) and print\$4)) not	IBM_TDB	
Ceas\$4 or halt\$4 or stop\$5) ((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) not (347/14 and (err				1	
18					
Correct\$4 or sens\$4) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/4 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) use (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) use (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) use (347/14 and (error\$2 with (detect\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) use (347/14 and (error\$2 with (detect\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) use (347/14 and (error\$2 with (detect\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) use (347/14 and (error\$2 with (detect\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) use (347/14 and (error\$2 with (detect\$4 or sens\$4)) use (347/14 and (error\$2 with (detec					
(ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) 12 ((((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1 ("5777634").PN. 2 ("3930258" "4590494" "4796782" USPAT; 2003/04/10 us-PGPUB 18:34 uspat 2003/04/10 us-PGPUB; 18:34 uspat 2003/04/10 us-PGPUB; 18:34 uspat 2003/04/10 us-PGPUB; 18:34 uspat 2003/04/10 uspat 2003/04/	-	18			
(347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 12 ((((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/7 and (error\$2) with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) - 1 ("5777634").PN. - 8 ("3930258" "4590494" "4796782" USPAT; 2003/04/10 18:33 USPAT 2003/04/10 18:34 USPAT; 2003/04/10 18:35 USPAT; 2003/04/10 18:37 USPAT; 2003/04/10 USPAT; 2003/04/10 USPAT; 2003/04/10 USPAT; 2003/04/10 USPAT; 2003/04/10 USPAT			correct\$4 or sens\$4)) and (print\$4 with	1	18:26
Correct\$4 or sens\$4) and print\$4) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) ((((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) - 1 ("5777634").PN. - 2003/04/10 "852604" "4590494" "4796782" USPAT; US-PGPUB (B:33) USPAT; USPA					
(347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) - 1 ("5777634").PN. - 8 ("3930258" "4590494" "4796782" USPAT; 2003/04/10 uspat "5165708" "5617122").PN. - 6 5777634.URPN. - 111 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10 ls:35 2003/04/10 ls:35 2003/04/10 ls:37				· ·	
correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))				IBM_TDB	
(ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 y) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) [**Torrosa***] **Porrosa*** **Porrosa					
(347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) ((((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) - 1 ("5777634").PN. USPAT; 2003/04/10 - 1 ("3930258" "4590494" "4796782" USPAT; 2003/04/10 - 8 ("3930258" "4590494" "4796782" USPAT 2003/04/10 - 11 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10) - 11 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10) - 11 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10) - 11 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10) - 11 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10) - 11 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10) - 11 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10)					
correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) ((((347/16 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1	•				
Ceas\$4 or halt\$4 or stop\$5)					
12					
correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) - 1 ("5777634").PN.					
(ceas\$4 or halt\$4 or stop\$5))) not (347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1 ("5777634").PN. 2 ("3930258" "4590494" "4796782" USPAT; 2003/04/10 USPAT	i -	12		1	
(347/5 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) - 1 ("5777634").PN. USPAT; 2003/04/10 US-PGPUB 18:33 - 8 ("3930258" "4590494" "4796782" USPAT 2003/04/10 "4852604" "4921132" "5018884" "5165708" "5617122").PN 6 5777634.URPN. USPAT 2003/04/10 18:35 - 111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) US-PGPUB; 18:37]				18:26
correct\$4 or sens\$4)) and print\$4)) not (347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) - 1 ("5777634").PN. USPAT; 2003/04/10 US-PGPUB 18:33 - 8 ("3930258" "4590494" "4796782" USPAT 2003/04/10 "4852604" "4921132" "5018884" 18:34 - 5777634.URPN. USPAT 2003/04/10 18:35 - 111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) US-PGPUB; 18:37	1				
(347/7 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1 ("5777634").PN. 2003/04/10 ("3930258" "4590494" "4796782" USPAT 2003/04/10 "4852604" "4921132" "5018884" USPAT 2003/04/10 "4852604" "5617122").PN. 5777634.URPN. USPAT 2003/04/10 18:35 111 347/5 and error\$2 and (print\$4 with (uspat; 2003/04/10) (array or vertical or simulataneous)) USPAT; 2003/04/10					
correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))				IBM_TDB	· .
(ceas\$4 or halt\$4 or stop\$5)))) not (347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1 ("5777634").PN. 2003/04/10 USPAT; 2003/04/10 USPAT; 2003/04/10 USPAT; 2003/04/10 USPAT 2003/04/10 USPAT 2003/04/10 18:34 "5165708" "4590494" "4796782" USPAT 2003/04/10 18:35 111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) USPAT; 2003/04/10 18:35		1			
(347/8 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1 ("5777634").PN. 2 ("3930258" "4590494" "4796782" USPAT; USPAT 2003/04/10 "4852604" "4921132" "5018884" 18:34 "5165708" "5617122").PN. 5 (5777634.URPN. 111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) USPAT; USPAT 2003/04/10 18:35 USPAT 2003/04/10 18:35		.			
correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5)))					
(ceas\$4 or halt\$4 or stop\$5))) not (347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1 ("5777634").PN. USPAT; 2003/04/10 US-PGPUB 18:33 USPAT 2003/04/10 "4852604" "4921132" "5018884" "5165708" "5617122").PN. 5777634.URPN. USPAT 2003/04/10 18:35 111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) USPAT; 2003/04/10 18:35					
(347/14 and (error\$2 with (detect\$4 or correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1 ("5777634").PN. ("3930258" "4590494" "4796782" USPAT; 2003/04/10 US-PGPUB 18:33 USPAT 2003/04/10 USPAT; 2003/04/10 USPAT 2003/04/10 USPAT 2003/04/10 USPAT 2003/04/10 USPAT 2003/04/10 USPAT 2003/04/10 USPAT; 2003/04/1					
correct\$4 or sens\$4)) and (print\$4 with (ceas\$4 or halt\$4 or stop\$5))) 1 ("5777634").PN. 2003/04/10 USPAT; 2003/04/10 USPAT; USPAT 2003/04/10 "4852604" "4921132" "5018884" "5165708" "5617122").PN. 5777634.URPN. USPAT 2003/04/10 18:35 111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) USPAT; 2003/04/10 18:35			(ceas 4 or nait 4 or stop 55)))) not		
(ceas\$4 or halt\$4 or stop\$5))) ("5777634").PN. ("3930258" "4590494" "4796782" USPAT; US-PGPUB 18:33 ("3930258" "4921132" "5018884" 18:34 "5165708" "5617122").PN. 5777634.URPN. USPAT 2003/04/10 18:35 USPAT; USPAT; 2003/04/10 18:35 USPAT; 2003/04/10 18:35 USPAT; USPAT		ĺ			
- 1 ("5777634").PN. USPAT; 2003/04/10 US-PGPUB 18:33 USPAT 2003/04/10 USPAT; 2003/04/10 USPAT					
- 8 ("3930258" "4590494" "4796782" US-PGPUB USPAT 2003/04/10 18:34		_			0000/01/15
- 8 ("3930258" "4590494" "4796782" USPAT 2003/04/10	-	1	("5///634").PN.		
"4852604" "4921132" "5018884"	(/ 420202010 1 44502404 1 44502404 1 4 4504		
- 6 5165708" "5617122").PN. 5777634.URPN. 111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) USPAT; 2003/04/10 US-PGPUB; 18:37	-	8		USPAT	
- 6 5777634.URPN. USPAT 2003/04/10 18:35 - 111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) USPAT; 2003/04/10 US-PGPUB; 18:37					18:34
111 347/5 and error\$2 and (print\$4 with (array or vertical or simulataneous)) US-PGPUB; 18:37	_				2002/01/12
- 111 347/5 and error\$2 and (print\$4 with USPAT; 2003/04/10 (array or vertical or simulataneous)) US-PGPUB; 18:37	-	6	3///634.URPN.	USPAT	
(array or vertical or simulataneous)) US-PGPUB; 18:37			247/5 and announce and the state state		
	-	111			
1 1 1			(array or vertical or simulataneous))		18:37
EPO; JPO;					
DERWENT;	1			· ·	
IBM_TDB	 		//UEC202CAU\ /UEZ02A22U\	_	2002/04/55
- 2 (("5620264") or ("5790408")).PN. USPĀT; 2003/04/16	-	۱ - ۷۰	((5020204") Or ("5/90408")).PN.		
US-PGPUB 19:23		_		US-EGEUB	19:23

Γ	- <u>- </u>	502	358/1.14 and error\$2 and print\$4	USPAT;	2003/04/17 18:52
				US-PGPUB; EPO; JPO;	10:02
				DERWENT;	
-	1			IBM_TDB	
-	-	318	358/1.14 and (error\$2 with print\$4)	USPAT;	2003/04/17
				US-PGPUB;	19:01
	İ		•	EPO; JPO; DERWENT;	
1		ļ		IBM TDB	
Ι.	_	68	358/1.14 and (error\$2 with detect\$4 with	USPAT;	2003/04/17
			print\$4)	US-PGPUB;	19:06
1	ļ			EPO; JPO;	
				DERWENT; IBM TDB	ļ
1		11	700/8 and error\$2 and print\$4	USPAT;	2003/04/17
-	-		70070 and Crioryz and primor.	US-PGPUB;	19:01
				EPO; JPO;	
				DERWENT;	
			100/74 1	IBM_TDB USPAT;	2003/04/17
-	- [253	400/74 and error\$2 and print\$4	US-PGPUB;	19:01
	Ì			EPO; JPO;	
				DERWENT;	
				IBM_TDB	2007/04/17
-	-	191	400/74 and (error\$2 with print\$4)	USPAT; US-PGPUB;	2003/04/17
	Ì		· ·	EPO; JPO;	19.02
				DERWENT;	
				IBM_TDB	
.	-	85		USPAT;	2003/04/17
			print\$4)	US-PGPUB;	19:03
		Į		EPO; JPO; DERWENT;	
				IBM TDB	
		69	358/1.14 and (error\$2 with detect\$4 with	USPAT;	2003/04/17
			print\$4)	US-PGPUB;	19:07
			·	EPO; JPO; DERWENT;	.
				IBM TDB	
	_	78	(400/74 and (error\$2 with detect\$4 with	USPĀT;	2003/04/17
		'`	print\$4)) not (358/1.14 and (error\$2 with	US-PGPUB;	19:07
			detect\$4 with print\$4))	EPO; JPO;	
		1		DERWENT; IBM TDB	
		.	("6144457").PN.	USPAT;	2003/04/17
	-			US-PGPUB	20:15
	_	1	("5208640").PN.	USPAT;	2003/04/17
				US-PGPUB	20:16
	-	5425	358/1.15	USPAT; US-PGPUB;	2003/09/08 14:01
		1		EPO; JPO;	
				DERWENT;	, ,
1		ļ		IBM_TDB	
	-	1389	358/1.15 and error\$2	USPAT;	2003/09/08
				US-PGPUB; EPO; JPO;	14:01
				DERWENT;	
1				IBM_TDB	
	_	1291	358/1.15 and error\$2 and print\$4	USPAT;	2003/09/08
				US-PGPUB;	14:01
				EPO; JPO; DERWENT;	
				IBM TDB	
	_	154	358/1.15 and (error\$2 same (halt\$4 or	USPAT;	2003/09/08
			stop\$5)) and print\$4	US-PGPUB;	14:02
1		1		EPO; JPO;	
				DERWENT; IBM TDB	
		l		מתד זותד	<u> </u>